

Publikační činnost k 16.11.2017: Ing. Petr Neugebauer, Ph.D. (Research ID: I-7844-2013)

Původní vědecké práce v mezinárodních vědeckých časopisech:



- [1] **P. Neugebauer***, D. Bloos, R. Marx, P. Lutz, M. Kern, M. Tuček, D. Aguilà, J. Vaverka, C. Dietrich, O. Ouari, R. Clérac and J. van Slageren: Ultra-broadband EPR in field and frequency domains for applications from dynamic nuclear polarisation to single-molecule magnets
Submitted to: *Phys. Chem. Chem. Phys.* (IF 4.123)
- [2] M. Giansiracusa, E. Moreno-Pineda, R. Hussain, R. Marx, M. Martínez Prada, P. Neugebauer, S. Al-Badran, D. Collison, F. Tuna, J. van Slageren, S. Carretta, T. Guidi, E. McInnes, R. Winpenny, N. Chilton: Measurement of magnetic exchange in asymmetric lanthanide dimetallics: towards a transferable theoretical framework
Submitted to: *J. Am. Chem. Soc.* (IF 13.858)
- [3] M. Bubrin, A. Paretzki, R. Hübner, K. Beyer, B. Schwederski, **P. Neugebauer**, S. Záliš and W. Kaim: Probing the Intramolecular Metal-Selenoether Interaction in a Bis(iminosemiquinone)copper(II) Compound
Z. Anorg. Allg. Chem. DOI: 10.1002/zaac.201700282. (IF 1.144)
- [4] P. Lutz, D. Aguilà, A. Mondal, D. Pinkowicz, R. Marx, **P. Neugebauer**, B. Fåk, J. Ollivier, R. Clérac, and J. van Slageren: Elementary excitations in single-chain magnets
Phys. Rev. B, 96, 094415 (2017). (IF 3.836)
- [5] J.-J. Liu, S.-D. Jiang, **P. Neugebauer**, J. van Slageren, Y. Lan, W. Wernsdorfer, B.-W. Wang, and S. Gao: Magnetic and HFEPR Studies of Exchange Coupling in a Series of μ -Cl Dicobalt Complexes
Inorg. Chem., 56, 2417–2425 (2017). (IF 4.857)
- [6] M. G. Sommer, R. Marx, D. Schweinfurth, Y. Rechkemmer, **P. Neugebauer**, M. van der Meer, S. Hohloch, S. Demeshko, F. Meyer, J. van Slageren and B. Sarkar: Control of Complex Formation through Peripheral Substituents in Click-Tripodal Ligands: Structural Diversity in Homo-and Heterodinuclear Cobalt-Azido Complexes
Inorg. Chem., 56, 402–413 (2017). (IF 4.857)
- [7] I. Nemec, R. Herchel, M. Kern, **P. Neugebauer**, J. van Slageren and Z. Trávníček: Magnetic Anisotropy and Field-induced Slow Relaxation of Magnetization in Tetracoordinate Co(II) Compound [Co(CH₃-im)₂Cl₂]
Materials, 10(3), 249 (2017). (IF 2.654)
- [8] M. van der Meer, Y. Rechkemmer, F. D. Breitgoff, R. Marx, **P. Neugebauer**, U. Frank, J. van Slageren, and B. Sarkar: Multiple Bistability in Quinonoid-Bridged Diiron(II) Complexes: Influence of Bridge Symmetry on Bistable Properties
Inorg. Chem., 55, 11944–11953 (2016). (IF 4.857)
- [9] M. van der Meer, Y. Rechkemmer, U. Frank, F. D. Breitgoff, S. Hohloch, C.-Y. Su, **P. Neugebauer**, R. Marx, M. Dörfel, J. van Slageren, and B. Sarkar: A Dicobalt Complex with an Unsymmetrical Quinonoid Bridge Isolated in Three Units of Charge: A Combined Structural, (Spectro) electrochemical, Magnetic and Spectroscopic Study
Chem. Eur.J., 22, 13884 –13893 (2016). (IF 5.317)
- [10] S. Realista, A. J. Fitzpatrick, G. Santos, L. Ferreira, S. Barroso, L. Pereira, N. Bandeira, **P. Neugebauer**, J. Hruby, G. G. Morgan, J. van Slageren, M. J. Calhorda, P. Martinho: A Mn(III)

- single ion magnet with tridentate Schiff-base ligands
Dalton Trans., 45, 12301-12307 (2016). (IF 4.029)
- [11] S.H. Schlindwein, K. Bader, C. Sibold, W. Frey, **P. Neugebauer**, M. Orlita, J. van Slageren, D. Gudat: New Selective Synthesis of Dithiaboroles as a Viable Pathway to Functionalized Benzenedithiolenes and Their Complexes
Inorg. Chem., 55 (12), 6186-6194 (2016). (IF 4.857)
- [12] J. Rozbořil, Y. Rechkemmer, D. Bloos, F. Münz, C.N. Wang, **P. Neugebauer**, J. Čechal, J. Novák, J. van Slageren: Magneto-optical investigations of molecular nanomagnet monolayers
Dalton Trans., 45, 7555-7558 (2016). (IF 4.029)
- [13] M. van der Meer, Y. Rechkemmer, F. Breitgoff, S. Dechert, R. Marx, M. Dörfel, **P. Neugebauer**, J. van Slageren, B. Sarkar: Probing Bistability in Fell and Coll Complexes with an Unsymmetrically Substituted Quinonoid Ligand
Dalton Trans., 45, 8394-8403 (2016). (IF 4.029)
- [14] M. Dörfel, M. Kern, H. Bamberger, **P. Neugebauer**, K. Bader, R. Marx, A. Cornia, T. Mitra, A. Müller, M. Dressel, L. Bogani, J. van Slageren: Torque-Detected Electron Spin Resonance as a Tool to Investigate Magnetic Anisotropy in Molecular Nanomagnets
Magnetochemistry, 2(2), 25 (2016). (IF 2.690)
- [15] M. Gysler, F. El Hallak, L. Ungur, R. Marx, M. Hakl, **P. Neugebauer**, Y. Rechkemmer, Y. Lan, I. Sheikin, M. Orlita, C. E. Anson, A. K. Powell, R. Sessoli, L. F. Chibotaru, J. van Slageren: Multitechnique investigation of Dy₃ - Implications for Coupled Lanthanide Clusters
Chemical Science, 2016, DOI: 10.1039/C6SC00318D (IF 8.668)
- [16] Y. Rechkemmer F.D. Breitgoff, M. van der Meer, M. Atanasov, M. Hakl, M. Orlita, **P. Neugebauer**, F. Neese, B. Sarkar, J. van Slageren: A Four-Coordinate Cobalt(II) Single Ion Magnet With Coercivity and a Very High Energy Barrier
Nat. Commun., 7, 10467 (2016). (IF 12.124)
- [17] Y. Rechkemmer, J.E. Fischer, R. Marx, M. Dörfel, **P. Neugebauer**, S. Horvath, M. Gysler, T. Brock-Nannestad, W. Frey, M.F. Reid, J. van Slageren: Comprehensive Spectroscopic Determination of the Crystal Field Splitting in an Erbium Single-Ion Magnet
J. Am. Chem. Soc., 137, 13114-13120 (2015). (IF 13.858)
- [18] I. Nemec, R. Marx, R. Herchel, **P. Neugebauer**, J. van Slageren, Z. Trávníček Field-induced slow relaxation of magnetization in a pentacoordinate Co(II) compound [Co(phen)(DMSO)Cl₂]
Dalton Trans., 44, 15014-15021 (2015). (IF 4.029)
- [19] A. Abhervé, M. Palacios-Corella, J. M. Clemente Juan, R. Marx, **P. Neugebauer**, J. v. Slageren, M. Clemente Leon, E. Coronado: Bimetallic MnIII-Fell hybrid complexes formed by a functionalized MnIII Anderson polyoxometalate coordinated to Fell: Observation of a field-induced slow relaxation of magnetization in the MnIII centres and a photoinduced spin-crossover in the Fell centres
J. Mater. Chem. C, 3, 7936-7945 (2015). (IF 5.256)
- [20] M. Orlita, C. Faugeras, A.-L. Barra, G. Martinez, M. Potemski, D. M. Basko, M. S. Zholudev, F. Teppe, W. Knap, V. I. Gavrilenko, N. N. Mikhailov, S. A. Dvoretskii, **P. Neugebauer**, C. Berger, W. A. de Heer Infrared magneto-spectroscopy of two-dimensional and three-dimensional massless fermions: A comparison
J. Appl. Phys., 117, 112803 (2015). (IF 2.068)
- [21] S. E. Küçük, **P. Neugebauer**, T. F. Prisner, D. Sezer: Molecular simulations for dynamic nuclear polarization in liquids: a case study of TEMPOL in acetone and DMSO
Phys. Chem. Chem. Phys., 17, 6618-6628 (2015). (IF 4.123)

- [22] K. Bader, D. Dengler, S. Lenz, B. Endeward, S.D. Jiang, **P. Neugebauer**, J. van Slageren: Room Temperature Quantum Coherence in a Potential Molecular Qubit
Nat. Commun., 5, 5304 (2014). (IF 12.124)
- [23] Y.Y. Zhu, T.T. Yin, S.D. Jiang, A.L. Barra, W. Wernsdorfer, **P. Neugebauer**, R. Marx, M. Dörfel, B.W. Wang, Z.Q. Wu, J. van Slageren, S. Gao: Solvent effect in an axially symmetric FeIII4 single-molecule magnet
Chem. Commun., 50, 15090-15093 (2014). (IF 6.319)
- [24] E. Moreno Pineda, N.F. Chilton, R. Marx, M. Dörfel, D.O. Sells, **P. Neugebauer**, S.D. Jiang, D. Collison, J. van Slageren, E.J.L. McInnes, R.E.P. Winpenny: Direct measurement of dysprosium(III)...dysprosium(III) interactions in a single-molecule magnet
Nat. Commun., 5, 5243 (2014). (IF 12.124)
- [25] **P. Neugebauer**, J. G. Krummenacker, V. P. Denysenkov, C. Helmling, C. Luchinat, G. Parigi and T. F. Prisner: High-field liquid state NMR hyperpolarization: a combined DNP/NMRD approach
Phys. Chem. Chem. Phys., 16, 18781-18787 (2014). (IF 4.123)
- [26] D. Schweinfurth, Y. Rechkemmer, S. Hohloch, N. Deibel, I. Peremykin, J. Fiedler, R. Marx, **P. Neugebauer**, J. van Slageren, B. Sarkar: Redox-Induced Spin-State Switching and Mixed Valency in Quinonoid-Bridged Dicobalt Complexes
Chem. Eur. J., 20, 3475 – 3486 (2014). (IF 5.317)
- [27] M. Orlita, D. M. Basko, M. S. Zholudev, F. Teppe, W. Knap, V. I. Gavrilenko, N. N. Mikhailov, S. A. Dvoretskii, **P. Neugebauer**, C. Faugeras, A-L. Barra, G. Martinez, M. Potemski: Observation of three-dimensional massless Kane fermions in a zinc-blende crystal
Nat. Phys., 10, 233–238 (2014). (IF 22.806)
- [28] **P. Neugebauer**, J. G. Krummenacker, V. P. Denysenkov, G. Parigi, C. Luchinat, T. F. Prisner: Liquid state DNP of water at 9.2 T: an experimental access to saturation
Phys. Chem. Chem. Phys., 15, 6049 - 6056 (2013). (IF 4.123)
- [29] F. El Hallak, **P. Neugebauer**, A.-L. Barra, J. van Slageren, M. Dressel, A. Cornia: Torque-detected ESR of a tetrairon(III) single molecule magnet
J. Magn. Reson., 223, 55 - 60 (2012). (IF 2.432)
- [30] L. Vergnani, A.-L. Barra, **P. Neugebauer**, M. J. Rodriguez-Douton, R. Sessoli, L. Sorace, W. Wernsdorfer, and A. Cornia: Magnetic Bistability of Isolated Giant-Spin Centers in a Diamagnetic Crystalline Matrix
Chem. Eur. J., 18, 3390 - 3398 (2012). (IF 5.317)
- [31] S. Petit, **P. Neugebauer**, G. Pilet, G. Chastanet, A.-L. Barra, A. B. Antunes, W. Wernsdorfer, and D. Luneau: Condensation of a Nickel Tetranuclear Cubane into a Heptanuclear Single-Molecule Magnet
Inorg. Chem., 51, 6645 - 6654 (2012). (IF 4.857)
- [32] T. K. Prasad, G. Poneti, L. Sorace, M. J. Rodriguez-Douton, A.-L. Barra, **P. Neugebauer**, L. Costantino, R. Sessoli and A. Cornia Magnetic and optical bistability in tetrairon(III) Single Molecule Magnets functionalized with azobenzene groups
Dalton Trans., 41, 8368 (2012). (IF 4.029)
- [33] M. Orlita, **P. Neugebauer**, C. Faugeras, A.-L. Barra, M. Potemski, F. M. D. Pellegrino, and D. M. Basko Cyclotron motion in the vicinity of Lifshitz transition in graphite
Phys. Rev. Lett., 108, 017602 (2012). (IF 8.462)
- [34] **P. Neugebauer** and A.-L. Barra: New Cavity Design for Broad-band Quasi-Optical HF-EPR spectroscopy
Appl. Magn. Res., 37, 833 - 843 (2010). (IF 0.864)

- [35] **P. Neugebauer**, M. Orlita, C. Faugeras, A.-L. Barra and M. Potemski:
How perfect can graphene be?
Phys. Rev. Lett., 103, 136403 (2009). (IF 8.462)
- [36] L. Gregoli, C. Danieli, A.-L. Barra, **P. Neugebauer**, G. Pellegrino, G. Poneti, R. Sessoli and A. Cornia:
Magnetostructural Correlations in Tetrairon(III) Single-Molecule Magnets
Chem. Eur. J., 15, 6456 - 6467 (2009). (IF 5.317)
- [37] M. Orlita, C. Faugeras, P. Plochocka, **P. Neugebauer**, G. Martinez, D. K. Maude, A.-L. Barra, M. Sprinkle, C. Berger, W. A. de Heer and M. Potemski: Approaching the Dirac Point in High-Mobility Multilayer Epitaxial Graphene
Phys. Rev. Lett., 101, 267601 (2008). (IF 8.462)
- [38] C. Aronica, Y. Chumakov, E. Jeanneau, D. Luneau, **P. Neugebauer**, A.-L. Barra, B. Gillon, A. Goujon, A. Cousson, J. Tercero and E. Ruiz: Structure, Magnetic Properties, Polarized Neutron Diffraction, and Theoretical Study of a Copper(II) Cubane
Chem. Eur. J., 14, 9540 - 9548 (2008). (IF 5.317)

Výše zmíněné publikace získaly 320 dalších citací (dle Scopus, Google scholar).